

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Titebond Liquid Hide Wood Glue

Creation date 26th February 2021  
Revision date 21st June 2022 Version 3.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier** Titebond Liquid Hide Wood Glue  
Substance / mixture mixture
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
**Mixture's intended use**  
Glue.  
**Main intended use**  
PC-ADH-6 Adhesives and sealants - woodworking and joinery (includes putty)  
**Mixture uses advised against**  
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**  
**Manufacturer**  
Name or trade name Franklin International  
Address 2020 Bruck Street, Columbus OH, 43207  
United States of America  
Phone (800) 877-4583
- Supplier**  
Name or trade name IGM nástroje a stroje s.r.o.  
Address Ke Kopanině 560, Tuchoměřice, 252 67  
Czech Republic  
Identification number (CRN) 25114727  
VAT Reg No CZ25114727  
Phone +420 220 950 910  
E-mail prodej@igm.cz  
Web address igm.cz
- Competent person responsible for the safety data sheet**  
Name IGM nástroje a stroje s.r.o.  
E-mail prodej@igm.cz
- 1.4. Emergency telephone number**  
European emergency number: 112

### SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**  
**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**  
The mixture is classified as dangerous.

Eye Dam. 1, H318

Full text of all classifications and hazard statements is given in the section 16.

#### Most serious adverse effects on human health and the environment

Causes serious eye irritation.

- 2.2. Label elements**  
**Hazard pictogram**



#### Signal word

Danger

#### Hazardous substances

Ammonium thiocyanate

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Titebond Liquid Hide Wood Glue

Creation date 26th February 2021  
Revision date 21st June 2022 Version 3.0

### Hazard statements

H318 Causes serious eye damage.

### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

### 2.3. Other hazards

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Mixture of substances and additives specified below.

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 1762-95-4 EC: 217-175-6	Ammonium thiocyanate	1-5	Acute Tox. 4, H302+H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	

Full text of all classifications and hazard statements is given in the section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Pokud postižený nedýchá, dýchání je nepravidelné nebo při zástavě dechu poskytněte umělé dýchání nebo kyslík. Při bezvědomí umístěte postiženého do stabilizované polohy na boku, s mírně zakloněnou hlavou, a dbejte o průchodnost dýchacích cest. Zajistěte lékařské ošetření vzhledem k časté nutnosti dalšího sledování po dobu nejméně 48 hodin.

#### If on skin

Odložte potřísněný oděv a obuv. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists. Kontaminovaný oděv a obuv před opětovným použitím omyjte.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

#### If swallowed

DO NOT INDUCE VOMITING! Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems. If the affected person vomits, make sure to prevent inhalation of the vomit (as there is a danger of lung damage after inhalation of these liquids in the airways also in infinitesimal amount). Do not provide anything by mouth if the person is unconscious or if having cramps.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Titebond Liquid Hide Wood Glue

Creation date	26th February 2021	Version	3.0
Revision date	21st June 2022		

### 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

Not expected.

#### If on skin

Not expected.

#### If in eyes

Způsobuje vážné podráždění očí, slzení, zarudnutí.

#### If swallowed

Irritation, nausea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Accommodate extinguishing components to the location of fire.

#### Unsuitable extinguishing media

not available

### 5.2. Special hazards arising from the substance or mixture

Při požáru může docházet ke vzniku oxidu uhelnatého a uhlíčitého, oxidů dusíku a síry. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

### 5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes. Nepovolané osoby evakuujte do bezpečí. Nevdechujte výpary.

### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

### 6.4. Reference to other sections

See the Section 7, 8 and 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Nevdechujte výpary. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Skladujte v těsně uzavřených, originálních obalech na chladných, suchých a dobře větraných místech k tomu určených. nevystavujte slunci. Do not store together with food, drink and animal feed. Keep container tightly closed.

Storage temperature

min 4 °C, max 32 °C

### 7.3. Specific end use(s)

not available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Titebond Liquid Hide Wood Glue

Creation date 26th February 2021  
Revision date 21st June 2022 Version 3.0

### 8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

Ochranné brýle (podle charakteru vykonávané práce).

#### Skin protection

Hand protection: Protective gloves resistant to the product. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

#### Respiratory protection

Respirátor při překročení expozičních limitů látek nebo ve špatně větratelném prostředí.

#### Thermal hazard

Not available.

#### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	amber
Odour	light characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	100 °C
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	>93,3 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	6,5 (undiluted)
Kinematic viscosity	data not available
Solubility in water	soluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	1,15 g/cm <sup>3</sup>

### 9.2. Other information

Content of organic solvents (VOC) 0 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

not available

### 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Unknown.

### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use.

### 10.5. Incompatible materials

not available

### 10.6. Hazardous decomposition products

Not developed under normal uses.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Titebond Liquid Hide Wood Glue

Creation date 26th February 2021  
Revision date 21st June 2022 Version 3.0

### Acute toxicity

Based on available data the classification criteria are not met.

Ammonium thiocyanate

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	750 mg/kg		Rat	

### Skin corrosion/irritation

Based on available data the classification criteria are not met.

### Serious eye damage/irritation

Causes serious eye irritation.

### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

### Germ cell mutagenicity

Based on available data the classification criteria are not met.

### Carcinogenicity

Based on available data the classification criteria are not met.

### Reproductive toxicity

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

### Aspiration hazard

Based on available data the classification criteria are not met.

## 11.2. Information on other hazards

not available

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Acute toxicity

Ammonium thiocyanate

Parameter	Value	Exposure time	Species	Environment
EC <sub>50</sub>	150 mg/l	72 hour	Algae ( <i>Selenastrum capricornutum</i> )	
EC <sub>50</sub>	3.56 mg/l	48 hour	Crustaceans ( <i>Daphnia magna</i> )	
LC <sub>50</sub>	114 ppm	96 hour	Fishes ( <i>Gambusia affinis</i> )	Freshwater

#### Chronic toxicity

Ammonium thiocyanate

Parameter	Value	Exposure time	Species	Environment
EC <sub>50</sub>	3.56 mg/l		Crustaceans ( <i>Daphnia magna</i> )	

### 12.2. Persistence and degradability

Data not available.

### 12.3. Bioaccumulative potential

Ammonium thiocyanate

Parameter	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	-2.29				

Not available.

### 12.4. Mobility in soil

Not available.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Titebond Liquid Hide Wood Glue

Creation date	26th February 2021	Version	3.0
Revision date	21st June 2022		

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Endocrine disrupting properties

not available

### 12.7. Other adverse effects

Not available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

## SECTION 14: Transport information

### 14.1. UN number or ID number

not subject to transport regulations

### 14.2. UN proper shipping name

not relevant

### 14.3. Transport hazard class(es)

not relevant

### 14.4. Packing group

not relevant

### 14.5. Environmental hazards

not relevant

### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

### 15.2. Chemical safety assessment

not available

## SECTION 16: Other information

### A list of standard risk phrases used in the safety data sheet

H315	Causes skin irritation.
H318	Causes serious eye damage.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Titebond Liquid Hide Wood Glue

Creation date 26th February 2021  
Revision date 21st June 2022 Version 3.0

H412 Harmful to aquatic life with long lasting effects.  
H302+H332 Harmful if swallowed or if inhaled.

### Guidelines for safe handling used in the safety data sheet

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P280 Wear eye protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a doctor.

### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

### Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by road  
BCF Bioconcentration Factor  
CAS Chemical Abstracts Service  
CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures  
EC<sub>50</sub> Concentration of a substance when it is affected 50% of the population  
EINECS European Inventory of Existing Commercial Chemical Substances  
EmS Emergency plan  
ES Identification code for each substance listed in EINECS  
EU European Union  
EuPCS European Product Categorisation System  
IATA International Air Transport Association  
IBC International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals  
ICAO International Civil Aviation Organization  
IMDG International Maritime Dangerous Goods  
INCI International Nomenclature of Cosmetic Ingredients  
ISO International Organization for Standardization  
IUPAC International Union of Pure and Applied Chemistry  
LC<sub>50</sub> Lethal concentration of a substance in which it can be expected death of 50% of the population  
LD<sub>50</sub> Lethal dose of a substance in which it can be expected death of 50% of the population  
log Kow Octanol-water partition coefficient  
MARPOL International Convention for the Prevention of Pollution from Ships  
OEL Occupational Exposure Limits  
PBT Persistent, Bioaccumulative and Toxic  
ppm Parts per million  
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals  
RID Agreement on the transport of dangerous goods by rail  
UN Four-figure identification number of the substance or article taken from the UN Model Regulations  
UVCB Substances of unknown or variable composition, complex reaction products or biological materials  
VOC Volatile organic compounds  
vPvB Very Persistent and very Bioaccumulative

Acute Tox. Acute toxicity  
Aquatic Chronic Hazardous to the aquatic environment (chronic)  
Eye Dam. Serious eye damage  
Skin Irrit. Skin irritation

### Training guidelines

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Titebond Liquid Hide Wood Glue

Creation date	26th February 2021	Version	3.0
Revision date	21st June 2022		

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### The changes (which information has been added, deleted or modified)

The version 3.0 replaces the SDS version from 26 February 2021. Changes were made in sections 2 and 16.

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.